



Specification of screws

Part number	Xsize	In the teeth
A/C	4.8	4#40
B/D	5.8	4#40

Instructions:


1. features:
 Rated voltage :500V AC MIN
 Rated current current :5A
 Impedance of contact :30mΩ MAX.
 Resistance of insulation :3000MΩMIN. at 500V DC
 Voltage resistance value :500V AC RMS for 1Minute
 Scope of work : -55°C~+105°C
 Shell salt spray : More than 48H

2. Material:
 Rubber core : PBT rated
 Car PIN : Copper alloy
 The shell : Iron alloy/Iron alloy/Stainless steel
 front shell with nickel plating and rear shell
 with tin plating/passivation
 Stents : Iron alloy, Copper alloy, nickel plated
 The harpoon : Copper alloy, tin plated
 The rivet : Copper alloy, nickel plated
 Screw : Iron/copper alloy, nickel plated
 Baffle : PA9T, yellow



106G 78 M X X XX C X X 4 B X
 1 2 3 4 5 6 7 8 9 10 11 12

- Serial number:
106G=HDR car pin riveting
- PIN bit differentiation:
15=15PIN 26=26PIN 44=44PIN
62=62PIN 78=78PIN
- Male female distinction:
F=female M=male
- Distinction of plastic:
1=PBT White glue 2=PBT vinyl
- Terminal material differentiation:
H=brass P=Phosphor copper
- The terminal electroplating μs are differentiated:
01=1u gold AA=1.5u gold 02=2u gold.....
- Terminal Specifications Distinction:
C=conventional
- Division of shell:
1=The iron shell 2=Copper shell
3=Stainless steel passivation
4=Stainless steel nickel plating
- Support differentiation:
D=10.63 Iron support with plate
J=10.63 Copper bracket with plate
- Harpoon distinction:
4=Four prong harpoon
- Rivet differentiation:
B=5.4*4.4*1.2 rivet
- Screw differentiation:
A=4.8 Iron screw B=5.8 Iron screw
C=4.8Copper screw D=5.8 Copper screw



P.C.B LAYOUT

UNLESS OTHERWISE SPECIFIED TOLERANCE	
ANG.	±5°
0.	±0.5
.0	±0.3
.00	±0.2

QIANGTS 深圳市强泰盛电子有限公司
 Shenzhen Qiangtaisheng Electronic Co. LTD.
 TEL.:86-755-82599792 FAX:86-755-27313473

SCALE: AS SHOWN	UNIT: mm
DRAWN WAN	06/17/13
CHECKED CHEN	06/17/13
APPROVED CHEN	06/17/13

DRAWN NAME:	HDR8 bus pin with plate rivet lock
PRODUCT NO.	106G78MXXXXCXX4BX
FILE NAME:	106G78MXXXXCXX4BX

A	ECN-20130617001(WAN)	06/17/13	APPROVED	CHEN	06/17/13	DATE	SIZE	A4	REV.	A
REV.	DESCRIPTION	DATE			SIZE			REV.		